

ALPHA[®] K75-I and K99-I

Test Solutions

DESCRIPTION & APPLICATION GUIDELINES

ALPHA K75-I Extract Test Solution is designed to be used for cleanliness testing in compliance with MIL-P-28809. It consists of high purity Isopropyl Alcohol and De-Ionized Water.

Due to dissolved gases, the solution when first added to an ionic test instrument or other military-approved system will not read at the 20 meg-ohm level. It will be brought to this level after running through the proper de-ionization columns.

ALPHA K99-I Ratio Adjusting Solution is a pure Isopropyl Alcohol based make-up solution. In combination with the Solution Control Nomogram, its intended use is to restore the **ALPHA K75-I** Extract Test Solution to the desired alcohol/water ratio.

During use, alcohol vaporizes from the Extract Solution at a faster rate than does water. This is due to the greater volatility of the isopropanol. By regular monitoring of the alcohol percentage and correcting alcohol loss with **ALPHA K99-I**, accuracy of the ionic test instrument procedure is maintained.

READ ENTIRE TECHNICAL DATA SHEET BEFORE USING THIS PRODUCT

TECHNICAL DATA

ALPHA K75-I Properties	Typical Values	ALPHA K99-I Properties	Typical Values
Specific Gravity @ 77 °F	0.855	Specific Gravity @ 77 °F	0.783
Density @ 77 °F	7.12 lbs/gal	Density @ 77°F	6.52 lbs/gal
Flash Point °F	70 °F	Flash Point °F	53 °F
Volatile	100%	Volatile	100%
Shelf Life (from Date of Mfg.)	1080 days	Shelf Life (from Date of Mfg.)	1080 days

RECYCLING SERVICES

We provide safe and efficient recycling services to help companies meet their environmental and legislative requirements and at the same time, maximize the value of their waste streams.

Our service collects solder dross, solder scrap, and various forms of solder paste waste. Please contact your local sales representative for recycling capabilities in your area or [link here](#)



SAFETY & WARNING

It is recommended that the company/operator read and review the Safety Data Sheets for the appropriate health and safety warnings before use. **Safety Data Sheets are available at MacdermidAlpha.com/assembly-solutions/knowledge-base.**

CONTACT INFORMATION

To confirm this document is the most recent version, please contact
Assembly@MacDermidAlpha.com
www.macdermidalpha.com

<p>North America 109 Corporate Blvd. South Plainfield, NJ 07080, USA 1.800.367.5460</p>	<p>Europe Unit 2, Genesis Business Park Albert Drive Woking, Surrey, GU21 5RW, UK 44.01483.758400</p>	<p>Asia 8/F., Paul Y. Centre 51 Hung To Road Kwun Tong, Kowloon, Hong Kong 852.3190.3100</p>
---	--	---

Also read carefully warning and safety information on the Safety Data Sheet. This data sheet contains technical information required for safe and economical operation of this product. READ IT THOROUGHLY PRIOR TO PRODUCT USE . Emergency safety directory assistance: US 1 202 464 2554, Europe + 44 1235 239 670, Asia + 65 3158 1074, Brazil 0800 707 7022 and 0800 172 020, Mexico 01800 002 1400 and (55) 5559 1588

DISCLAIMER: All statements, technical information and recommendations contained herein are based on tests we believe to be reliable, but the accuracy or completeness thereof is not guaranteed. No statement or recommendation shall constitute a representation unless set forth in an agreement signed by officers of seller and manufacturer. NO WARRANTY OF MERCHANTABILITY, WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE OR ANY IMPLIED WARRANTY IS MADE. The following warranty is made in lieu of such warranties and all other warranties, express, implied, or statutory. Products are warranted to be free from defects in material and workmanship at the time sold. The sole obligation of seller and manufacturer under this warranty shall be to replace any noncompliant product at the time sold. Under no circumstances shall manufacturer or seller be liable for any loss, damage or expense, direct, indirect, incidental or consequential, arising out of the inability to use the product. Notwithstanding the foregoing, if products are supplied in response to a customer request that specifies operating parameters beyond those stated above, or if products are used under conditions exceeding said parameters, the customer by acceptance or use thereof assumes all risk of product failure and of all direct, indirect, incidental and consequential damages that may result from use of the products under such conditions, and agrees to exonerate, indemnify, defend and hold harmless MacDermid, Incorporated and its affiliates therefrom. No suggestion for product use nor anything contained herein shall be construed as a recommendation to use any product in a manner that infringes any patent or other intellectual property rights, and seller and manufacturer assume no responsibility or liability for any such infringement.

© 2019 MacDermid, Inc. and its group of companies. All rights reserved. "(R)" and "TM" are registered trademarks or trademarks of MacDermid, Inc. and its group of companies in the United States and/or other countries.